


Motorised Skylight Shading System

Silent Gliss® 8700



Product Information


- A strong and technically advanced heavy duty glass roof shading system.
- Uniform roman blind effect with Silent Gliss technical or decorative fabrics. Large and attractive fabric offer.
- Electrically operated system.
- Utilising modular and cantilever options, large and unusually shaped glass roofs can be shaded (max surface 50sqm).
- Suitable for applications up to 30° from horizontal.
- The system components are made from flame retardant and uv-resistant material.



8700

Profile, Bending and Specification Information


Main Carrier Profile



8801



Profile 2151 for motor cover



2151



Specification Information - download from Silent Gliss extranet

8700 electrically operated skylight system ready assembled with motor enclosed headbox 2151 complete with drive shafts, side guide channels and cross rods for blinds. Side guide channels to be fixed at 60-80cm centres and headbox to be fixed with 3004 clamps and screw fix through headbox 2151. off.....wide xdrop (girth) guide channels, side channels with cross rods atcm intervals.

System Dimensions



5m (overall width)
3m (between side channels)



12m



50sqm



50Kg


Application shapes



Cantilever option allows different application shapes.

System Options

Multiple systems




With intermediate bracket 8855 parallel fixing of multiple systems is possible. This modular approach allows shading of unlimited glazed areas.

Please note: each system requires its own motor.

Fitting Information


Bracket positioning



This diagram illustrates the recommended positioning of brackets.

It is likely that customised brackets will be required with this system.



Securing the clamp



A: Clamps 3044 requires additional fixing with a small screw for maximum security.

Fitting Options



Ceiling fix with clamp 3044



3044
Clamp

Clamp 3044 requires additional fixing with a small screw for maximum security.

Wall fix with clamp 3044



3044
Clamp



8700